

- 1. DETAIL TO BE USED FOR UPHILL LOTS AND WHERE RIGHT-OF-WAY IS LESS THAN 8' ONLY.
- 2. PLANTING IN THE RIGHT-OF-WAY IS SUBJECT TO APPROVAL OF THE CITY ENGINEER AND IS SUBJECT TO ENCROACHMENT PERMIT FROM ENGINEERING DIVISION.
- 3. FOR CURB AND SIDEWALK SCORING SEE SD-8. CONCRETE SHALL BE 6-SACK.
- 4. IF DRIVEWAYS AND CURBS ARE NOT PLACED IN MONOLITHIC POUR USE NO. 3 REBAR DOWELS 12" LONG @ 2'-0" ON CENTER. EPOXY IF DRILLED.
- 5. LIMITS OF THE REMOVAL OF EXISTING CURB, GUTTER, SIDEWALK AND ASPHALT SHALL BE DETERMINED IN THE FIELD BY THE CITY INSPECTOR.

			CITY OF FREMONT				DATE APPROVED BY CITY COUNCIL 04/11/06 RESOLUTION NO. 2006 31	
			STANDARD DETAILS			RESOLUTION NO. 2006-31		
			TYPE "D" DRIVEWAY APPROACH				. 21	
NO.	REVISED	DATE		ASE 2 - RESIDENTIAL			Man Highes	
REVISIONS							CITY ENGINEER	
FILE NO.		SCALE		DRAWN	CHECKED	DATE	DWG NO.	
SD-12B-06.DWG		AS SHOWN		DC	KC	03/14/06	SD-12B	1 of 1